Model Y 2022 facelift	
rear-wheel drive version	

Basic information	
Manufacturers	Tesla China
level	Mid-size SUV
Type of energy	Pure electric
Time to market	2022.08
motor	Pure electric 264 hp
Pure electric cruising range (km) Ministry of Industry and Information Technology	545
Pure electric range (km) CLTC	545
Charging time (hours)	Fast charge for 1 hou Slow charge for 10 ho
Fast charge capacity(%)	20-80
Maximum power (kW)	194(264Ps)
Maximum torque(N·m)	340
Gearbox	Electric vehicle single speed gearbox
<u>LxWxH(mm)</u>	4750x1921x1624
Body structure	5-door, 5-seat SUV
Maximum speed (km/h)	217
Official acceleration time per 100 km(s)	6.9
Power consumption per 100 km (kWh/<>km)	12.7kWh
Electrical energy equivalent fuel consumption (L/100km)	1.44
Vehicle warranty period	4 years or 8,<> km

at 6,<> km	
bodywork	
Length(mm)	4750
Width(mm)	1921
Height(mm)	1624
Wheelbase(mm)	2890
Front track(mm)	1636
Rear track(mm)	1636
Body structure	SUV
Number of doors (pcs)	5
How the door opens	Swing doors
Number of seats (pcs)	5
Kerb weight(kg)	1929
Full load mass(kg)	2335
Baggage compartment volume (L)	971-2158
motor	
Electric motor description	Pure electric 264 hp
Motor type	Permanent magnet/synchronization
Total motor power (kW)	194
Total horsepower of electric motor (Ps)	264
Total torque of electric motor(N·m)	340
Maximum power of front motor (kW)	-
Maximum torque of front	_

Battery/Charging

motor (N·m)

power (kW)

motor (N·m)

Motor layout

Maximum rear motor

Maximum torque of rear

Number of drive motors

<u>Battery type</u>	Lithium iron phosphate battery
<u>Cell brand</u>	CATL era
Battery pack warranty	8 years or 16,<> km

194

340

Single motor postposition

<u>Battery energy</u> <u>density(Wh/kg)</u>	126.0
Battery charging	Fast charge for 1 hour Slow charge for 10 hours
	Fast charging interface
Fast charge port location	Left side of rear taillights
Slow charge interface location	Left side of rear taillights
Battery temperature management system	Low temperature heating
	Liquid cooling
Single pedal mode	Standard
Brand self-operated charging station	• Standard
VTOL mobile power station function	-
<u>Charging pile</u>	· Optional 1 pcs

Gearbox

Gearbox description	Electric vehicle single- speed gearbox	a
Number of gear bits	1	
Gearbox type	Fixed gear ratio gearbox	<u>a</u>

Chassis/steering

Drive mode	Rear-mounted rear-drive
4WD type	-
Front suspension form	Double wishbone independent suspension
Rear suspension form	Multi-link independent suspension
Type of steering	Electric assist
Body structure	Load-bearing type

Wheels/brakes

Front brake type	Ventilated disc type
Rear brake type	Ventilated disc type
Parking brake type	Electronic parking
Front tire specifications	255/45 R19
Rear tire specifications	255/45 R19
Spare tire specifications	-
How the spare wheel is placed	-

ABS anti-lock braking	• Standard	
Braking force distribution (EBD/CBC, etc.)	• Standard	
Brake assist (EBA/BA, etc.)	Standard	
<u>Traction control (TCS/ASR, etc.)</u>	• Standard	
Body stability systems (ESP/DSC, etc.)	• Standard	
Active safety warning	Lane departure warning	
system	Forward collision warning	
Active braking	• Standard	
Parallel line assistance	• Standard	
Lane keeping assist	• Standard	
The lane is kept centered	• Standard	
Tips for fatigued driving	-	
Active DMS fatigue detection	• Standard	
In-car vital signs detection	• Standard	
Road traffic sign recognition	Matching	
Signal light recognition	 Matching 	
Night vision system	-	
Passive safety • Standard	Optional - not	
	Main driver's seat	
<u>Front airbags</u>	• Co-pilot	
<u>Side airbags</u>	• front row	
Side air curtains	Standard	
Front knee airbags	-	
Central airbag	• front row	
Seat belt not fastened	• Standard	
Tire pressure monitoring system	• Tire pressure display	
Child seat interface	• Standard	
(ISOFIX)		
(ISOFIX) Passive pedestrian protection	-	

Auxiliary/manipulative configuration • Standard • Optional

	• аттег
Departure reminder for the car in front	-
<u>Driver assistance images</u>	Reversing image
<u>Cruise system</u>	Cruise control
	Adaptive cruise
	Full-speed adaptive cruise
Automatic lane change assist	· Matching
Automatic exit (entry) on ramps	Matching
Level of assisted driving	• Level 2 Q
	∘ Level 3 <u>Q</u>
Automatic parking	Matching
Reversing	-
Memory parking	-
AUTOHOLD	Standard
Hill Assist (HAC)	• Standard
Steep Descent (HDC)	-
Variable suspension adjustment	-
<u>Air suspension</u>	-
Electromagnetic induction suspension	-
<u>Variable steering ratio</u> <u>system</u>	-
Front axle slip restriction method	-
Rear axle sliding limit	-
Center differential lock function	-
Low-speed four-wheel drive	-
Integral active steering system	-
	-
<u>Driving mode selection</u>	• snowfield
	Standard comfort
Brake energy recuperation system	• Standard

External configuration •	Standard • Optional - not
Sunroof type	The panoramic sunroof cannot be opened
Light-sensitive canopy	-
Roof racks	· Matching
Sporty look kit	-
Electric spoiler	-
Actively closed grille	-
Aluminum alloy wheels	• Standard
Side footrest	-
Frameless design doors	• Standard
Concealed door handles	• Standard
Drag the hook	-
Internal configuration •	Standard • Optional - not
Steering wheel material	• cortex
Steering wheel adjustment	Up and down + front and back
The steering wheel is electrically adjustable	• Standard
	Versatile control
Steering wheel function	• memory
	• heating
<u>Trip computer screen</u>	-
LCD meter style	-
LCD meter size (inch)	-
Comfort/anti-theft config	uration • Standard • Optional - not
Electric suction door	-
Power rear tailgate	• Standard
Inductive rear tailgate	-
Power rear tailgate position memory	• Standard
Interior central locking	• Standard
	Smart key 1200 fob RMB
Type of key fob	Mobile phone Bluetooth key
	NFC/RFID key
<u>Keyless entry</u>	• Full car
Keyless start	• Standard

Kemote control of mobile	Matching	
<u>vehicles</u>	Widterling	
Vehicle summoning function	Matching	
Head-up display (HUD)	-	
Built-in dashcam	Standard	
Active noise cancellation	-	
Wireless charging of mobile phones	• Standard	
Maximum power of wireless charging of mobile phone (W)	15	
110V/220V/230V power outlet	-	
12V power connector in the luggage compartment	• Standard	
Seat configuration • Stan	ndard • Optional - not	
Seat material	Imitation leather	
Sport-style seats	-	
Seat layout	• 2+3	
Second row of independent seats	-	
Third row of seats	-	
Electric seat adjustment	Main driver's seat	
Electric seat adjustment	• Co-pilot	
	Move back and forth	
The main driver's seat is	Backrest angle	
adjusted as a whole	High and low adjustment	
Local adjustment of the main driver's seat	• waist	
The passenger seat is adjusted as a whole	Move back and forth	
	High and low adjustment	
	Backrest angle	
The passenger seat is partially adjusted	-	
The second row of seats is adjusted as a whole	Backrest angle adjustment	
The second row seats are partially adjusted	-	
Front seat features	• heating	

Second row seat tunction	• neating			
Third row seat function	-			
Boss key	-			
Front/rear armrests	• front row			
	• Back			
Rear cup holders	Standard			
Cup holders can be heated/cooled	-			
Recline ratio of rear seats	• 40:20:40			
The rear seats are reclined electrically	-			
Second row of small tables	-			
Smart connectivity • Standard • Optional - not				
Center display size (inches)	• 15			
Center console color screen resolution	1920x1080			
Center console color screen pixel density (PPI)	• 147			
Touch screen vibration feedback	-			
Screen layout	Single-screen central control layout			
GPS navigation system	• Standard			
AR reality navigation	-			
Navigation traffic information display	• Standard			
Roadside assistance services	-			
Bluetooth/car phone	• Standard			
Mobile phone interconnection mapping	-			
Internet of Vehicles	Standard			
4G/5G networks	• 4G			
OTA upgrades	• Standard			
OTA version	2022.36.6			
Facial recognition	-			
Fingerprint recognition	-			
Voiceprint recognition	-			
Emotion recognition	-			

Voice wake-free function	-
Voice zone wake-up recognition function	Master driving
Continuous speech recognition	-
Visible can be said	-
Voice assistant wake words	-
Gesture control function	-
<u>Wi-Fi hotspots</u>	-
Audio-visual entertainmen	t • Standard • Optional -
Multi-finger flyscreen control	-
App store	• Standard
Multimedia interface	• USB/Type-C
Number of USB/Type-C	• 2 in the front row
interfaces	• 2 in the back
USB/Type-C maximum charging power	-
<u>Car TV</u>	-
Rear LCD screen	-
Simulate sound waves	-
K song function	• Standard
Car machine Easter eggs	• Standard
<u>Audio brand</u>	-
Number of speakers (pcs)	• 14
Rear multimedia control	-
Lighting configuration •	Standard • Optional - not
<u>Dipped beam</u>	• LED
<u>High beam</u>	• LED Q
Daytime running lights	• Standard
Adaptive near and far light	• Standard
Automatic headlights	• Standard
Turn assist lights	-
Front fog lights	-
Through-type headlamps	-
Through-type taillights	-
Headlamp Steering (AFS)	-

Headlamp cleaning function	-	
Interior mood lights	• monochrome	
Active ambient lighting	-	
<u>Lighting features</u>	• Matrix 🚇	
Headlights turn off with a delay	• Standard	
Headlight rain and fog mode	-	
Glass/mirrors • Standard	· Optional - not	
Power windows	• front row	
	• Back	
The window is raised and lowered at the touch of a button	• Full car	
Window anti-pinch function	• Standard	
	• Electrically adjustable	
	 heating 	
	Electric folding	
Exterior mirror function	• memory	
	Reversing automatically rolls down	
	The lock car automatically folds	
	Automatic anti-glare	
Interior mirror function	Automatic anti-glare	
	Main driver's seat + with lighting	
<u>In-car vanity mirror</u>	• The passenger seat + is illuminated	
Rear privacy glass	Standard	
Sun blinds inside the car	-	
Rain-sensing wipers	• Standard	
Rear wipers	-	
The rear window glass opens	-	
Multi-layer acoustic glass	• Full car	
Front windshield heating	-	
Heatable spout	-	

Air conditioning control mode	• automatic
Individual air conditioning in the rear	-
Rear exhaust air outlet	Standard
Temperature zone control	Dual zone air conditioning
Car air purifier	-
PM2.5 filter device in the car	• Standard
HEPA filtration unit	Standard
Negative ion generator	-
In-car fragrance fixtures	-
<u>Car refrigerator</u>	-

Intelligent configuration

intelligent configuration		
Assisted driving operating system	Autopilot	
Assisted driving chip	• HW	
Assisted Driving Chip Computing Power (TOPS)	• 144	
<u>In-vehicle intelligent</u> <u>system</u>	Tesla In-Vehicle System software	
<u>In-vehicle smart chip</u>	• AMD Ryzen	
Vehicle system memory (GB)	• 16	
Vehicle system storage (GB)	• 256	
Mobile App remote control	• Digital key	
	Vehicle monitoring	
	Remote control	
	Charge management	
	Service appointments	
Heat pump management system	• Standard	
Maximum forward detection distance(m)	• 250	
Number of exterior cameras (pcs)	• 8	
Number of cameras in the car (pcs)	• 1	
Number of ultrasonic radars (pcs)	• 12	

Sub-meter high-precision positioning system	-
<u>High-precision maps</u>	-
Sentinel (clairvoyance) mode	• Standard
V2X communication	-
Optional package • Stand	lard • Optional – not
Custom options	Optional exterior, interior, wheels, brakes 2 optional packs
Enhanced automated driver assistance	Auto-assisted guided driving: Automatically drive into and out of highway ramps or overpass forks, overtake slow-moving vehicles, Auto-assisted lane change: automatically assist lane change on highways, Auto-parking: parallel parking vs. vertical parking, Smart Summon: In the right scenario, parked vehicles will respond to your call and drive out of the parking space and go to your location.
	• Matching 32000 RMB
Fully autonomous driving capability	Automatic Lane Change: Automatically assists lane changes on highways. Auto-assisted guided driving: Automatically drive into and out of highway ramps or overpass slow-moving vehicles. Smart Summoning: In the right scenario, a parked vehicle will respond to your call and drive out of the parking space and head to your location. Coming soon: Automated parking: parallel parking. Identify and react to traffic lights and stop signs. Automatic driving assistance on city streets.

^{*}The above parameter configuration information is for reference only, please refer to the actual vehicle for details View the parameter configuration details >