

## Seagull 2024 Honor Edition 305KM Vitality...

Seagull 2024 Honor Edition 305KM Free...

Seagull 2024 Honor Edition 405KM Flying...

Basic Information				
official guide price	69,800	75,800	85,800	
<u>Manufacturer</u>	BYD	BYD	BYD	
<u>level</u>	Small car a	Small car	Small car	
Energy type	pure electric	pure electric	pure electric	
time to market	2024.03	2024.03	2024.03	
electric motor	Pure electric 75 horsepower	Pure electric 75 horsepower	Pure electric 75 horsepower	
Pure electric cruising range (km) Ministry of Industry and Information Technology	305	305	405	
Pure electric cruising range (km) CLTC	305	305	405	
Charging time (hours)	Fast charging 0.5 hours, slow charging 4.3 hours	Fast charging 0.5 hours, slow charging 4.3 hours	Fast charging 0.5 hours, slow charging 5.6 hours	
Fast charging capacity (%)	30-80	30-80	30-80	
Maximum power(kW)	55(75Ps)	55(75Ps)	55(75Ps)	
Maximum torque (N·m)	135	135	135	
gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	
<u>Length x width x height</u> (mm)	3780x1715x1540	3780x1715x1540	3780x1715x1540	
Body structure	5-door, 4-seat hatchback	5-door, 4-seat hatchback	5-door, 4-seat hatchback	
Maximum speed (km/h)	130	130	130	
Official 0-50Km/h acceleration time (s)	4.9	4.9	4.9	
Official acceleration time to 100 kilometers (s)	-	-	-	
Electricity consumption per 100 kilometers (kWh/100km)	9.6kWh	9.6kWh	9.6kWh	
Electric energy equivalent fuel consumption (L/100km)	1.12	1.12	1.12	

Vehicle warranty period	6 years or 150,000 • kilometers add to des	6 years or 150,000 <sup>kto</sup> kilometers	6 years <b>ਿ</b> r 150,000 ki <b>lਲਮੀਲੀਆ</b> sorks
body			
<u>Length(mm)</u>	3780	3780	3780
Width(mm)	1715	1715	1715
<u>Height(mm)</u>	1540	1540	1540
Wheelbase(mm)	2500	2500	2500
Front wheelbase (mm)	1500	1500	1500
Rear wheelbase (mm)	1500	1500	1500
Body structure	Hatchback	Hatchback	Hatchback
Number of doors (number)	5	5	5
Car door opening method	swing door	swing door	swing door
Number of seats (seats)	4	4	4
<u>Curb weight (kg)</u>	1160	1160	1240
<u>Full load mass (kg)</u>	1460	1460	1540
<u>Luggage compartment</u> <u>volume (L)</u>	930	930	930
electric motor			
Motor description	Pure electric 75 horsepower	Pure electric 75 horsepower	Pure electric 75 horsepower
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	55	55	55
Total motor horsepower (Ps)	75	75	75
Total torque of motor (N·m)	135	135	135
Maximum power of front electric motor (kW)	55	55	55
Maximum torque of front electric motor (N·m)	135	135	135
Number of drive motors	single motor	single motor	single motor
Motor layout	prefix	prefix	prefix
Charging batteries			
<u>Battery Type</u>	Lithium iron phosphate abattery	Lithium iron phosphate battery	Lithium iron phosphate battery
<u>Battery Features</u> <u>Technology</u>	blade battery	blade battery	blade battery
Battery brand	BYD	BYD	BYD
Battery pack warranty	There is no age/mileage limit for the first owner of the car (the liability exemption clause shall be subject to the official)	There is no age/mileage limit for the first owner of the car (the liability exemption clause shall be subject to the official)	There is no age/mileage limit for the first owner of the car (the liability exemption clause shall be subject to the official)

Battery capacity (kWh)	30.08	30.08	38.88 <b>6</b>
Battery energy density (Wh/kg)	-	-	-
Charging batteries	Fast charging 0.5 hours, slow charging 4.3 hours	Fast charging 0.5 hours, slow charging 4.3 hours	Fast charging 0.5 hours, slow charging 5.6 hours
	Fast charging interface	Fast charging interface	• Fast charging interface
Maximum fast charging power (kw)	30	30	40
Fast charging interface location	Right fender	Right fender	Right fender
Slow charging interface location	Right fender	Right fender	Right fender
Battery temperature	low temperature heating	low temperature heating	low temperature heating
management system	-	-	liquid cooling
Single pedal mode	-	-	-
VTOL mobile power station functions	Standard configuration	Standard configuration	Standard configuration
Maximum external discharge power (kW)	3.3	3.3	3.3
Minimum allowable value for external discharge (%)	15	15	15
gearbox			
Gearbox description	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
Number of gears	1	1	1
Gearbox type			
Chassis/steering	fixed ratio gearbox 🚨	fixed ratio gearbox	fixed ratio gearbox
	tixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
<u>Drive mode</u>	Front wheel drive	fixed ratio gearbox  Front wheel drive	fixed ratio gearbox  Front wheel drive
Drive mode  front suspension form	CNR		
	Front wheel drive   MacPherson independent	Front wheel drive  MacPherson independent	Front wheel drive  MacPherson independent
front suspension form	Front wheel drive   MacPherson independent suspension  Trailing arm torsion beam non-independent	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent
front suspension form  Rear suspension form	Front wheel drive   MacPherson independent suspension  Trailing arm torsion beam non-independent suspension	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent suspension	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent suspension
front suspension form  Rear suspension form  steering type	Front wheel drive   MacPherson independent suspension  Trailing arm torsion beam non-independent suspension  electric assist	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent suspension  electric assist	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent suspension  electric assist
front suspension form  Rear suspension form  steering type  Body structure	Front wheel drive   MacPherson independent suspension  Trailing arm torsion beam non-independent suspension  electric assist	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent suspension  electric assist	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent suspension  electric assist
front suspension form  Rear suspension form  steering type  Body structure  wheels/brakes	Front wheel drive   MacPherson independent suspension  Trailing arm torsion beam non-independent suspension  electric assist   Load-bearing   Load-bearing	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent suspension  electric assist  Load-bearing	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent suspension electric assist  Load-bearing
front suspension form  Rear suspension form  steering type  Body structure  wheels/brakes  Front brake type	Front wheel drive   MacPherson independent suspension  Trailing arm torsion beam non-independent suspension  electric assist   Load-bearing   ventilated disc   ventilated disc	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent suspension  electric assist  Load-bearing  ventilated disc	Front wheel drive  MacPherson independent suspension  Trailing arm torsion beam non-independent suspension electric assist  Load-bearing  ventilated disc

175/55 R16

175/55 R16

Rear tire size

Spare tire specifications

165/65 R15

ABS anti-lock	Standard configuration	Standard configuration	Standard configuration
Braking force distribution (EBD/CBC, etc.)	Standard configuration	Standard configuration	Standard configuration
Brake assist (EBA/BA, etc.)	Standard configuration	Standard configuration	Standard configuration
<u>Traction control (TCS/ASR,</u> etc.)	Standard configuration	Standard configuration	Standard configuration
Body stability system (ESP/DSC, etc.)	Standard configuration	Standard configuration	Standard configuration
Active safety warning	-	-	Lane Departure Warning
<u>system</u>	-	-	forward collision warning
Active braking	-	-	<ul><li>Optional</li></ul>
Parallel assistance	-	-	-
<u>Lane Keeping Assist</u> <u>System</u>	-	-	-
Lane centering	-	-	-
<u>Fatigue driving tips</u>	- /	-	-
Active DMS fatigue detection	-	2	-
In-car vital signs detection		-	-
Road traffic sign recognition	-	-	· Optional
Traffic light identification	-	-	-
night vision system  passive safety • Standard	- I configuration • Optional	- none	-
	• Driver's seat	• Driver's seat	• Driver's seat
front airbag	Passenger seat	Passenger seat	Passenger seat
side airbag	_	-	• front row
side curtain airbags	Standard configuration	Standard configuration	Standard configuration
Front knee airbag	-	-	-
<u>center airbag</u>	-	-	-
Seat belt not fastened reminder	Standard configuration	Standard configuration	Standard configuration
tire pressure monitoring system	• tire pressure alarm	• tire pressure alarm	tire pressure alarm
Child seat interface (ISOFIX)	Standard configuration	Standard configuration	Standard configuration
<u>passive pedestrian</u>			
<u>protection</u>	-	-	-

<u>parking radar</u>	• back	• back	• back <b>€</b>
Warning when the vehicle ahead is leaving	-	-	-
<u>Driving assistance images</u>	• Reverse image	Reverse image	Reverse image
	• cruise control	cruise control	cruise control
<u>cruise system</u>	-	-	adaptive cruise
Automatic lane change assist	-	-	-
Automatic ramp exit (entry)	-	-	-
Assisted driving level	-	-	-
Automatic parking	-	-	-
Follow the trail and reverse	-	-	-
memory parking	-	-	-
Automatic parking (AUTOHOLD)	Standard configuration	Standard configuration	Standard configuration
Hill Ascent Assist (HAC)	• Standard configuration	Standard configuration	Standard configuration
Hill Descent (HDC)	-	_	_
Variable suspension adjustment	-	-	-
air suspension		-	-
Electromagnetic induction suspension	-		-
variable steering ratio system			-
Front axle limited slip mode	CNR		-
Rear axle limited slip mode	-	-	-
Center differential locking function	-	-	-
Integral active steering system	-	-	-
	• sports	• sports	• sports
<u>Driving mode selection</u>	• Snow	• Snow	• Snow
Priving mode selection	• ECO/Economy	• ECO/Economy	• ECO/Economy
	Standard comfort	Standard comfort	Standard comfort
brake energy recovery system	Standard configuration	Standard configuration	Standard configuration
Low speed driving warning sound	Standard configuration	Standard configuration	Standard configuration
External configuration •	Standard configuration • Op	tional - none	
<u>Skylight type</u>	-	-	-

Light-sensing awning

roof rack	-	-	-
<u>Sport appearance</u> <u>package</u>	-	-	-
Electric spoiler	-	-	-
Active closing air intake grille	-	-	-
Aluminum alloy wheels	-	Standard configuration	Standard configuration
Frameless design door	-	-	-
Hidden door handle	-	-	-
tow hitch	-	-	-
Internal configuration •	Standard configuration • Op	tional - none	
	• plastic	_	-
Steering wheel material	-	• cortex	• cortex
steering wheel adjustment	• up and down	• up and down	Up and down + front and back
Electric steering wheel adjustment			-
Steering wheel functions	Multifunctional control	Multifunctional control	Multifunctional control
<u>Driving computer screen</u>	• color	• color	• color
LCD instrument style	• Full LCD	• Full LCD	• Full LCD
LCD meter size (inches)	• 7	• 7	• 7
Comfort/anti-theft configu	uration • Standard configura	t <mark>ion • Optional - none</mark>	
Electric suction door	-	-	-
Electric tailgate			-
Sensing rear tailgate	JUB	4 \7/	-
Electric rear tailgate position memory	PIAD	IVI	-
Central locking in car	Standard configuration	Standard configuration	Standard configuration
	Smart remote key   ■	Smart remote key	Smart remote key
Remote key type	mobile phone bluetooth key	mobile phone bluetooth key	mobile phone bluetooth key
	NFC/RFID key	NFC/RFID key	NFC/RFID key
<u>keyless entry</u>	• Driver's seat	• Driver's seat	• Driver's seat
<u>Keyless start</u>	Standard configuration	Standard configuration	Standard configuration
remote start	Standard configuration	Standard configuration	Standard configuration
remote control mobile vehicle	-	-	-
<u>Vehicle summoning</u> <u>function</u>	-	-	-
Heads-up Display System (HUD)	-	-	-
Built-in driving recorder	-	-	_

Active noise reduction	-	_	_
Mobile phone wireless charging	-	• Standard • configuration	• Standard • configuration
110V/220V/230V power socket	-	-	-
Luggage compartment 12V power interface	-	-	-
Seat configuration • Stan	ndard configuration • Optiona	al - none	
seat material	• imitation leather	• imitation leather	• imitation leather
Sports style seats	Standard configuration	Standard configuration	Standard configuration
Second row independent seats	-	-	-
Seat electric adjustment	-	-	Driver's seat
Overall adjustment of	Move forward and backward	Move forward and backward	Move forward and backward
driver's seat	Backrest angle	• Backrest angle	Backrest angle
		-	Height adjustment
<u>Driver's seat partial</u> <u>adjustment</u>	-	-	-
Overall adjustment of	• Move forward and backward	Move forward and backward	Move forward and backward
<u>passenger seat</u>	Backrest angle	Backrest angle	Backrest angle
<u>Passenger seat partial</u> <u>adjustment</u>		-	-
Second row seat overall adjustment	-		-
Partial adjustment of second row seats	CNB	M	-
Front seat functions		- W -	-
Second row seat functions	-	-	-
Boss button	-	-	-
Front/rear armrests	• front row	• front row	• front row
Rear cup holder	-	-	-
<u>Heated/cooled cup</u> <u>holder</u>	-	-	-
Rear seat folding ratio	The whole row falls over	The whole row falls over	The whole row falls over
Second row small table	-	-	-
Intelligent Internet • Star	andard configuration • Option	nal - none	
Central control screen size (inches)	• 10.1	• 10.1	• 10.1
Touch screen vibration feedback	-	-	-
Rotatable/movable central control screen	Standard configuration	Standard configuration	Standard configuration

GPS navigation system	Standard configuration	Standard configuration	Standard configuration
AR real-life navigation	-	_	_
Navigation traffic information display	Standard configuration	Standard configuration	Standard configuration
roadside assistance service	-	-	-
Bluetooth/car phone	Standard configuration	Standard configuration	Standard configuration
Mobile Internet Mapping	-	-	-
Internet of Vehicles	Standard configuration	Standard configuration	Standard configuration
4G/5G network	• 4G	• 4G	• 4G
OTA upgrade	Standard configuration	Standard configuration	Standard configuration
face recognition	-	-	-
Fingerprint recognition	-	-	-
Voiceprint recognition	-	-	-
emotion recognition	-	-	-
Voice recognition control system	Standard configuration	Standard configuration	Standard configuration
Voice wake-up-free function	Standard configuration	Standard configuration	Standard configuration
Voice area wake-up recognition function	• main driver	• main driver	• main driver
continuous speech recognition		-	-
It can be said that it is visible	-	-	-
Voice assistant wake word	Hello Xiaodi	Hello Xiaodi	Hello Xiaodi
Gesture control function		IVI	-
<u>Wi-Fi hotspot</u>	Standard configuration	Standard configuration	Standard configuration
Media entertainment • S	Standard configuration • Opt	ional - none	
Multi-finger flying screen control	-	-	-
app Store	Standard configuration	Standard configuration	Standard configuration
multimedia interface	• USB/Type-C	• USB/Type-C	• USB/Type-C
Number of USB/Type-C interfaces	1 person in the front row	1 person in the front row	1 person in the front row
USB/Type-C maximum charging power	Front row 10W	Front row 10W	Front row 10W
<u>car tv</u>	-	-	-
rear LCD screen	-	-	-
simulated sound	-	-	-
audio brand	-	-	-
Number of speakers (pieces)	• 4	• 4	• 4

Lighting configuration	<ul> <li>Standard configuration</li> <li>Op</li> </ul>	otional - none	
Low beam lights	• halogen	• led 🚨	• led
<u>High beam</u>	• halogen	• led	• led
daytime running lights	-	Standard configuration	Standard configuration
Adaptive high and low beam	-	-	· Optional
automatic headlights	Standard configuration	Standard configuration	Standard configuration
<u>Turn assist light</u>	-	-	-
Front fog lights	-	-	-
<u>Headlight adaptive</u> <u>steering_(AFS)</u>	-	-	-
<u>Headlight height</u> <u>adjustment</u>	Standard configuration	Standard configuration	Standard configuration
Headlight cleaning function	-		-
Car interior ambient light			-
Active ambient lighting	-	-	-
<u>Lighting features</u>	-	-	-
<u>Delayed turn off of</u> <u>headlights</u>	Standard configuration	Standard configuration	Standard configuration
<u>Headlight rain and fog</u> <u>mode</u>		-	-
glass/rear view mirror •	• Standard configuration • Opt	tional - none	
	• front row	• front row	• front row
electric windows	• back row	• back row	• back row
One-click lifting and lowering of windows		• Driver's seat	• Driver's seat
Window anti-pinch function	-	Standard configuration	Standard configuration
Exterior rearview mirror	Electric adjustment	Electric adjustment	Electric adjustment
function	• heating	• heating	• heating
			-
Interior rearview mirror function	-	-	
function	• Main driving position + lighting	Main driving position +	• Main driving position + lighting
function			
	• lighting Passenger seat +	Passenger seat +	· lighting Passenger seat +
function  Car vanity mirror	• lighting Passenger seat +	Passenger seat +	· lighting Passenger seat +
Car vanity mirror  Rear privacy glass	• lighting Passenger seat +	Passenger seat +	· lighting Passenger seat +
Car vanity mirror  Rear privacy glass car sunshade	Passenger seat + illuminated	Passenger seat + illuminated	· lighting Passenger seat +

windshield			
Heated water nozzle	-	-	-
Air conditioner/refrigerato	r • Standard configuration	Optional - none	
Air conditioning control method	• Manual	• Manual	• Manual
Independent air conditioning in the rear	-	-	-
Rear air outlet	-	-	-
Temperature zone control	-	-	-
<u>Car air purifier</u>	-	-	-
In-car PM2.5 filter device	-	-	-
HEPA filter	-	-	-
negative ion generator	-	-	-
Car fragrance device	- /		-
<u>car refrigerator</u>	4	-	-
Intelligent configuration			
Vehicle intelligent system	• DiLink	• DiLink	• DiLink
	• digital key	digital key	digital key
	vehicle monitoring	vehicle monitoring	vehicle monitoring
Mobile App remote control	remote control	• remote control	remote control
<u>control</u>	Charging management	Charging management	Charging management
	Service appointment	Service appointment	Service appointment
heat pump management system	CNR	М	-
Number of cameras outside the car (number)		41 W	• 1
	-	-	· 2
Car exterior camera pixels	-	-	-
Car camera pixels	-	-	-
Number of ultrasonic radars (units)	• 3	• 3	• 3
Sub-meter high-precision positioning system	-	-	-
<u>High-precision map</u>	-	-	-
Sentinel (clairvoyance) mode	-	-	-
V2X communication	-	-	-
Optional package • Stand	dard configuration • Optiona	I - none	
Customized options	Optional exterior, interior, wheels, brakes	Optional exterior, interior, wheels, brakes	Optional exterior, interior wheels and brakes 1 optional package
			Adaptive cruise control, automatic emergency

Peace of mind package			braking, lane departure warning, traffic sign recognition, intelligent speed limit alarm, forward collision warning, intelligent high and low beam assist
	-	-	Optional 3000 yuan

